

EXPANSION JOINTS COVER SYSTEMS

PHB


Technical Data:

Seal

- Material – EPDM
- Color – Black
- Durometer – 74 Shore A

Epoxy

- 2 part
- Gel Time – 35 minutes
- Bond Strength (2 day cure) – 2,232 psi
- Bond Strength (14 day cure) – 2,460 psi
- Compressive Modulus – 250,100 psi



MODEL	JOINT WIDTH	MINIMUM OPENING	MAXIMUM OPENING	EXPOSED SURFACE	BLOCKOUT WIDTH	BLOCKOUT HEIGHT	SEAL DEPTH
PHB-100	25mm	13mm	38mm	25mm	N/A	N/A	57mm
PHB-200	51mm	25mm	76mm	51mm	N/A	N/A	64mm
PHB-400	102mm	51mm	152mm	102mm	N/A	N/A	89mm

