



WALL PROTECTION SYSTEM





Anti-collision handrail series | PWP-616F









PRODUCT CHARACTERISTICS

firm installation, comfortable to hold, anti-slip and wear-resistant, stable and fireproof, easy to install;

- -35 kinds of colors can be selected; environmentally friendly PVC panel; high-quality aluminum alloy inner core;
- -Exquisite workmanship: the internal metal structure strength is good, avoid large joints to hold


comfortably, beautiful and generous;


The fixed base is thickened; the color of the panel and the elbow is unified; and the corner is equipped with


Inner end cap and outer end cap, which is easy to turn.



Material: PVC+ aluminum magnesium alloy Aluminum thickness:1.4mm/1.6mm Specifications:4000mmx143mm







PWP-616FC

Anti-collision handrail series | PWP-616











PRODUCT CHARACTERISTICS

- -firm installation, comfortable to hold, anti-slip and wear-resistant, stable and fireproof, easy to install;
- -35 kinds of colors can be selected; environmentally friendly PVC panel; high-quality aluminum alloy inner core;
- Exquisite workmanship: the internal metal structure strength is good, avoid large joints to hold
- comfortably, beautiful and generous;
- -The fixed base is thickened; the color of the panel and the elbow is unified; and the corner is equipped with
- inner end cap and outer end cap, which is easy to turn.



Material:PVC+ aluminum magnesium alloy Aluminum thickness: 1.4mm/1.6mm/1.8mm Specifications:4000mmx159mm



Anti-collision handrail series | PWP-618









PRODUCT CHARACTERISTICS

firm installation, comfortable to hold, anti-slip and wear-resistant, stable and fireproof, easy to install;


-35 kinds of colors can be selected; environmentally friendly PVC panel; high-quality aluminum alloy inner core;

Exquisite workmanship: the internal metal structure strength is good, avoid large joints to hold

comfortably, beautiful and generous;

The fixed base is thickened; the color of the panel and the elbow is unified; and the corner is equipped with


Inner end cap and outer end cap, which is easy to turn.







Material: PVC+ aluminum magnesium alloy Aluminum thickness :1.2/1.4/1.6/1.8/2.0(mm) Specifications :4000mm x 140mm

STRUCTURE DISPLAY







PWP-618B

PWP-618D

PWP-618E

Anti-collision handrail series | PWP-628F









PRODUCT CHARACTERISTICS


firm installation, comfortable to hold, anti-slip and wear-resistant, stable and fireproof, easy to install;

- -35 kinds of colors can be selected; environmentally friendly PVC panel; high-quality aluminum alloy inner core;
- -Exquisite workmanship: the internal metal structure strength is good, avoid large joints to hold


comfortably, beautiful and generous;

The fixed base is thickened; the color of the panel and the elbow is unified; and the corner is equipped with

inner end cap and outer end cap, which is easy to turn



Material: PVC+ aluminum magnesium alloy Aluminum thickness:1.6(mm) Specifications :4000mm x 200mm



PWP-628f

Anti-collision handrail series | PWP-619A









PRODUCT CHARACTERISTICS


firm installation, comfortable to hold, anti-slip and wear-resistant, stable and fireproof, easy to install;

- -35 kinds of colors can be selected; environmentally friendly PVC panel; high-quality aluminum alloy inner core;
- -Exquisite workmanship: the internal metal structure strength is good, avoid large joints to hold
- comfortably, beautiful and generous;
- -The fixed base is thickened; the color of the panel and the elbow is unified; and the corner is equipped with

inner end cap and outer end cap, which is easy to turn.



Material: PVC+ aluminum magnesium alloy Aluminum thickness :1.4/2.0(mm) Specifications :4000mm x 140mm



PWP-619A

Anti-collision handrail series | PWP-6141B









PRODUCT CHARACTERISTICS


firm installation, comfortable to hold, anti-slip and wear-resistant, stable and fireproof, easy to install;

- -35 kinds of colors can be selected; environmentally friendly PVC panel; highquality aluminum alloy inner core;
- -Exquisite workmanship: the internal metal structure strength is good, avoid large joints to hold


comfortably, beautiful and generous;

-The fixed base is thickened; the color of the panel and the elbow is unified; and the corner is equipped with

inner end cap and outer end cap, which is easy to turn.



Material: PVC+ aluminum magnesium alloy Aluminum thickness:1.6(mm) Specifications :4000mm x 141mm



PWP-6141B

Anti-collision Wall Guard series | PWP-610









PRODUCT CHARACTERISTICS


firm installation, anti-slip and wear-resistant, stable and fireproof, easy to install;

- -35 kinds of colors can be selected; environmentally friendly PVC panel; high-quality aluminum alloy inner core;
- -Exquisite workmanship: the internal metal structure strength is good, avoid large joints to hold

comfortably, beautiful and generous;


-The fixed base is thickened; the color of the panel and the elbow is unified; and the comer is equipped with


Inner end cap and outer end cap, which is easy to turn.



Material: PVC+ aluminum magnesium alloy Aluminum thickness: 1.4mm/1.6mm Specifications: 100mm x 143mm

STRUCTURE DISPLAY





PWP-610A

PWP-610C

Anti-collision Wall Guard series | PWP-612B









PRODUCT CHARACTERISTICS

firm installation, anti-slip and wear-resistant, stable and fireproof, easy to install;


-35 kinds of colors can be selected, environmentally friendly PVC panel, high-quality aluminum alloy inner core;

Exquisite workmanship: the internal metal structure strength is good, avoid large joints, beautiful and


generous;

The fixed base is thickened, the color of the panel and the elbow is unified, and the comer is equipped with

inner end cap and outer end cap, which is easy to turn.



Material:PVC panel + aluminum + end cap Aluminum thickness : 1.4(mm) Specifications :4000mm×120mm



PWP -612B

Anti-collision Wall Guard series | PWP-615










PRODUCT CHARACTERISTICS

The upper wall is firm, anti-slip and wear-resistant, stable and fireproof, easy to install;


- 35 kinds of colors can be selected, environmentally friendly PVC panel, high-quality aluminum alloy inner core:

Exquisite workmanship: the internal metal structure strength is good, avoid large joints, beautiful and generous;

The fixed base is thickened, the color of the panel and the elbow is unified, and the corner is equipped with inner end cap and outer end cap, which is easy to turn.



Material: PVC panel + aluminum + head Aluminum thickness: 1.2/1.4/1.6/1.8/1.9(mm) Specifications: 4000mm×150mm



Anti-collision Wall Guard series | PWP-620B









PRODUCT CHARACTERISTICS


firm installation, anti-slip and wear-resistant, stable and fireproof, easy to install;

- -35 kinds of colors can be selected, environmentally friendly PVC panel, highquality aluminum alloy inner core;
- •Exquisite workmanship: the internal metal structure strength is good, avoid large joints, beautiful and

generous;

The fixed base is thickened, the color of the panel and the elbow is unified, and the corner is equipped with

inner end cap and outer end cap, which is easy to turn.



Material: PVC panel + aluminum + head Aluminum thickness:1.5(mm) Specifications:4000mm×200mm



PWP -620B

Anti-collision Wall Guard series | PWP-615G









PRODUCT CHARACTERISTICS

firm installation, anti-slip and wear-resistant, stable and fireproof, easy to install;

35 kinds of colors can be selected, environmentally friendly PVC panel, high-quality aluminum alloy inner core;

Exquisite workmanship: the internal metal structure strength is good, avoid large joints, beautiful and generous;


The fixed base is thickened, the color of the panel and the elbow is unified, and the corner is equipped with

inner end cap and outer end cap, which is easy to turn.




Stainless Steel

Material:Stainless steel panel Aluminum thickness:1.2/1.4/1.6/1.8/1.9(mm) Specifications :4000mmx150mm



Rigid Sheet I PWP-6122P









PRODUCT CHARACTERISTICS


firm installation, flame retardant, waterproof and impact resistant;

Environmentally friendly ABS material,


healthier and safer;
The panel is antibacterial and corrosion-resistant, easy to clean and take care of;
Inner end cap and outer end capdesign, meet a variety of installation environment.








CAP | CP




DIVISION BARI DB



INSIDE CORNER | IC






Material:ABS
Aluminum thickness:
1.0/1.5/2.2/2.5/3.0 (mm)
Specifications:
1.22mm x 2.44mm or customized

Anti-collision Wall Guard series | PWP-615P









PRODUCT CHARACTERISTICS

The upper wall is firm, flame retardant, waterproof and impact resistant; Environmentally friendly ABS material, healthier and safer;

The panel is antibacterial and corrosion-resistant, easy to clean and take care of;

inner end cap and outer end capdesign, meet a variety of installation environment.




Milky White

Material:ABS

Aluminum thickness:1.8/2.0 (mm)

Width: 15cm




Protection Corner Series















Side width :50mm×50mm
Side length :3m/pcs
Angle:90°




CORNER PROTECTION SERIES

Side width :70mm×70mm Side length:3m/pcs Angle:90°



CORNER PROTECTION SERIES

Side width:50mm×50mm
Side length:3m/pcs
Angle:90°




CORNER PROTECTION SERIES

Side width: 76mm×76mm
Side length:3m/pcs
Angle:90°/135°



Medical Product line - Surface mounted track series





INFUSION TRACK SERIES

Material: Aluminum alloy
Thickness:1.5mm
Type: Straight /U /O/L
















SUSPENDED CURTAIN TRACK

Material: Aluminum alloy
Thickness:1.5mm
Type: Straight/U/O/L

Health Care Product Line- Curtain Fabric Series







Health Care Product Line- Curtain Fabric Series





Main features:

1.safety: This product is permanent flame retardant curtain fabric standards, in

line with the Chinese building materials combustion performance classifica-

tion method of high grade 6.2.1 B1 provisions, oxygen index ≥32%, average

burning time ≤ 5 seconds, average damage length ≤150mm; 2.durable: super tensile strength; Strong rupture resistance; No deformation

after washing; After washing, the mesh of the curtain fabric will not break off,

pollution;

not fade, and be resistant to 3. beautiful: hospital wards, injection rooms, examination rooms practical curtain fabric, so that the hospital room neat, beautiful and

generous;
4.privacy: If other beds in the same area need to change

clothes, injections, medical treatment or visitors to protect privacy and avoid noise, the curtain


can be pulled up;

5.simple: special track, simple construction, special pulley and hook,


disassembly fast, clean and convenient.



Medical Product Line -Blind Bricks Series







265mm 300mm 300mm 300mm 35mm 4.5mm

Blind Brick

Blind Brick

Material:304 stainless steel
Size:300mm x
300mm/400mm x 400mm
Type: Point

Material:304 stainless steel.

Size:300mm x

300mm/400mm x 400mm


Type: Strip





Medical Product Line -Blind Bricks Series






Blind Brick

Material:304 stainless steel
Size:300mm x
300mm/400mm x 400mm
Type: Point





Blind Brick

Material:304 stainless steel.

Size:300mm x

300mm/400mm x 400mm

Type: Strip

Visit www.pinnaclesolutions.in for the latest version of this document and more information.

OFFERING SOLUTIONS PAN



. . . .

. . .

(W) Mumbai, Pin-400080 Maharashtra, India

FACTORY ADDRESS.

Damani warehouse, Near Rahul weighing bridge, Dapoda, Mankoli naka- 421302 Maharashtra, India

Phone

+91 82914 91283 **Bhavya Doshi**

www.pinnaclesolutions.in WALL PROTECTION SYSTEM CATELOGUE /05/2024

Please write to us for more details -

For Enquiriesenquiry@pinnaclesolutions.in For Service and supportsupport@pinnaclesolutions.in